

NOMINAL STANDARD RESISTANCE (resistance of each series)

| Resistance | E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) |
|------------|---------|---------|------------|---------|---------|------------|---------|---------|------------|---------|---------|
| 10.0Ω | 100 | 10R0 | 33.0Ω | 330 | 33R0 | 100Ω | 101 | 1000 | 330Ω | 331 | 3300 |
| 10.2Ω | | 10R2 | 33.2Ω | | 33R2 | 102Ω | | 1020 | 332Ω | | 3320 |
| 10.5Ω | | 10R5 | 34.0Ω | | 34R0 | 105Ω | | 1050 | 340Ω | | 3400 |
| 10.7Ω | | 10R7 | 34.8Ω | | 34R8 | 107Ω | | 1070 | 348Ω | | 3480 |
| 11.0Ω | 110 | 11R0 | 35.7Ω | 360 | 35R7 | 110Ω | 111 | 1100 | 357Ω | 361 | 3570 |
| 11.3Ω | | 11R3 | 36.0Ω | | 36R0 | 113Ω | | 1130 | 360Ω | | 3600 |
| 11.5Ω | | 11R5 | 36.5Ω | | 36R5 | 115Ω | | 1150 | 365Ω | | 3650 |
| 11.8Ω | | 11R8 | 37.4Ω | | 37R4 | 118Ω | | 1180 | 374Ω | | 3740 |
| 12.0Ω | 120 | 12R0 | 38.3Ω | 390 | 38R3 | 120Ω | 121 | 1200 | 383Ω | 391 | 3830 |
| 12.1Ω | | 12R1 | 39.0Ω | | 39R0 | 121Ω | | 1210 | 390Ω | | 3900 |
| 12.4Ω | | 12R4 | 39.2Ω | | 39R2 | 124Ω | | 1240 | 392Ω | | 3920 |
| 12.7Ω | | 12R7 | 40.2Ω | | 40R2 | 127Ω | | 1270 | 402Ω | | 4020 |
| 13.0Ω | 130 | 13R0 | 41.2Ω | 430 | 41R2 | 130Ω | 131 | 1300 | 412Ω | 431 | 4120 |
| 13.3Ω | | 13R3 | 42.2Ω | | 42R2 | 133Ω | | 1330 | 422Ω | | 4220 |
| 13.7Ω | | 13R7 | 43.0Ω | | 43R0 | 137Ω | | 1370 | 430Ω | | 4300 |
| 14.0Ω | | 14R0 | 43.2Ω | | 43R2 | 140Ω | | 1400 | 432Ω | | 4320 |
| 14.3Ω | 150 | 14R3 | 44.2Ω | 470 | 44R2 | 143Ω | 151 | 1430 | 442Ω | 471 | 4420 |
| 14.7Ω | | 14R7 | 45.3Ω | | 45R3 | 147Ω | | 1470 | 453Ω | | 4530 |
| 15.0Ω | | 15R0 | 46.4Ω | | 46R4 | 150Ω | | 1500 | 464Ω | | 4640 |
| 15.4Ω | | 15R4 | 47.0Ω | | 47R0 | 154Ω | | 1540 | 470Ω | | 4700 |
| 15.8Ω | 160 | 15R8 | 47.5Ω | 510 | 47R5 | 158Ω | 161 | 1580 | 475Ω | 511 | 4750 |
| 16.0Ω | | 16R0 | 48.7Ω | | 48R7 | 160Ω | | 1600 | 487Ω | | 4870 |
| 16.2Ω | | 16R2 | 49.9Ω | | 49R9 | 162Ω | | 1620 | 499Ω | | 4990 |
| 16.5Ω | | 16R5 | 51.0Ω | | 51R0 | 165Ω | | 1650 | 510Ω | | 5100 |
| 16.9Ω | 180 | 16R9 | 51.1Ω | 560 | 51R1 | 169Ω | 181 | 1690 | 511Ω | 561 | 5110 |
| 17.4Ω | | 17R4 | 52.3Ω | | 52R3 | 174Ω | | 1740 | 523Ω | | 5230 |
| 17.8Ω | | 17R8 | 53.6Ω | | 53R6 | 178Ω | | 1780 | 536Ω | | 5360 |
| 18.0Ω | | 18R0 | 54.9Ω | | 54R9 | 180Ω | | 1800 | 549Ω | | 5490 |
| 18.2Ω | 200 | 18R2 | 56.0Ω | 620 | 56R0 | 182Ω | 201 | 1820 | 560Ω | 621 | 5600 |
| 18.7Ω | | 18R7 | 56.2Ω | | 56R2 | 187Ω | | 1870 | 562Ω | | 5620 |
| 19.1Ω | | 19R1 | 57.6Ω | | 57R6 | 191Ω | | 1910 | 576Ω | | 5760 |
| 19.6Ω | | 19R6 | 59.0Ω | | 59R0 | 196Ω | | 1960 | 590Ω | | 5900 |
| 20.0Ω | 220 | 20R0 | 60.4Ω | 680 | 60R4 | 200Ω | 221 | 2000 | 604Ω | 681 | 6040 |
| 20.5Ω | | 20R5 | 61.9Ω | | 61R9 | 205Ω | | 2050 | 619Ω | | 6190 |
| 21.0Ω | | 21R0 | 62.0Ω | | 62R0 | 210Ω | | 2100 | 620Ω | | 6200 |
| 21.5Ω | | 21R5 | 63.4Ω | | 63R4 | 215Ω | | 2150 | 634Ω | | 6340 |
| 22.0Ω | 240 | 22R0 | 64.9Ω | 750 | 64R9 | 220Ω | 241 | 2200 | 649Ω | 751 | 6490 |
| 22.1Ω | | 22R1 | 66.5Ω | | 66R5 | 221Ω | | 2210 | 665Ω | | 6650 |
| 22.6Ω | | 22R6 | 68.0Ω | | 68R0 | 226Ω | | 2260 | 680Ω | | 6800 |
| 23.2Ω | | 23R2 | 68.1Ω | | 68R1 | 232Ω | | 2320 | 681Ω | | 6810 |
| 23.7Ω | 270 | 23R7 | 69.8Ω | 820 | 69R8 | 237Ω | 271 | 2370 | 698Ω | 821 | 6980 |
| 24.0Ω | | 24R0 | 71.5Ω | | 71R5 | 240Ω | | 2400 | 715Ω | | 7150 |
| 24.3Ω | | 24R3 | 73.2Ω | | 73R2 | 243Ω | | 2430 | 732Ω | | 7320 |
| 24.9Ω | | 24R9 | 75.0Ω | | 75R0 | 249Ω | | 2490 | 750Ω | | 7500 |
| 25.5Ω | 300 | 25R5 | 76.8Ω | 910 | 76R8 | 255Ω | 301 | 2550 | 768Ω | 911 | 7680 |
| 26.1Ω | | 26R1 | 78.7Ω | | 78R7 | 261Ω | | 2610 | 787Ω | | 7870 |
| 26.7Ω | | 26R7 | 80.6Ω | | 80R6 | 267Ω | | 2670 | 806Ω | | 8060 |
| 27.0Ω | | 27R0 | 82.0Ω | | 82R0 | 270Ω | | 2700 | 820Ω | | 8200 |
| 27.4Ω | 330 | 27R4 | 82.5Ω | 930 | 82R5 | 274Ω | 331 | 2740 | 825Ω | 931 | 8250 |
| 28.0Ω | | 28R0 | 84.5Ω | | 84R5 | 280Ω | | 2800 | 845Ω | | 8450 |
| 28.7Ω | | 28R7 | 86.6Ω | | 86R6 | 287Ω | | 2870 | 866Ω | | 8660 |
| 29.4Ω | | 29R4 | 88.7Ω | | 88R7 | 294Ω | | 2940 | 887Ω | | 8870 |
| 30.0Ω | 360 | 30R0 | 90.9Ω | 950 | 90R9 | 300Ω | 361 | 3000 | 909Ω | 951 | 9090 |
| 30.1Ω | | 30R1 | 91.0Ω | | 91R0 | 301Ω | | 3010 | 910Ω | | 9100 |
| 30.9Ω | | 30R9 | 93.1Ω | | 93R1 | 309Ω | | 3090 | 931Ω | | 9310 |
| 31.6Ω | | 31R6 | 95.3Ω | | 95R3 | 316Ω | | 3160 | 953Ω | | 9530 |
| 32.4Ω | 390 | 32R4 | 97.6Ω | 970 | 97R6 | 324Ω | 391 | 3240 | 976Ω | 970 | 9760 |

總代理 SOLE AGENT

達而特企業股份有限公司
SUPER DARTER CORPORATION
 TEL: 886-2-27892766
 FAX: 886-2-27892767

NOMINAL STANDARD RESISTANCE (resistance of each series)

| E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) | Resistance | E24(5%) | E96(1%) |
|---------|---------|------------|---------|---------|------------|---------|---------|------------|---------|---------|
| 102 | 1001 | 3.30K Ω | 332 | 3301 | 10.0K Ω | 103 | 1002 | 33.0K Ω | 333 | 3302 |
| | 1021 | 3.32K Ω | | 3321 | 10.2K Ω | | 1022 | 33.2K Ω | | 3322 |
| | 1051 | 3.40K Ω | | 3401 | 10.5K Ω | | 1052 | 34.0K Ω | | 3402 |
| | 1071 | 3.48K Ω | | 3481 | 10.7K Ω | | 1072 | 34.8K Ω | | 3482 |
| 112 | 1101 | 3.57K Ω | 362 | 3571 | 11.0K Ω | 113 | 1102 | 35.7K Ω | 363 | 3572 |
| | 1131 | 3.60K Ω | | 3601 | 11.3K Ω | | 1132 | 36.0K Ω | | 3602 |
| | 1151 | 3.65K Ω | | 3651 | 11.5K Ω | | 1152 | 36.5K Ω | | 3652 |
| | 1181 | 3.74K Ω | | 3741 | 11.8K Ω | | 1182 | 37.4K Ω | | 3742 |
| 122 | 1201 | 3.83K Ω | 392 | 3831 | 12.0K Ω | 123 | 1202 | 38.3K Ω | 393 | 3832 |
| | 1211 | 3.90K Ω | | 3901 | 12.1K Ω | | 1212 | 39.0K Ω | | 3902 |
| | 1241 | 3.92K Ω | | 3921 | 12.4K Ω | | 1242 | 39.2K Ω | | 3922 |
| | 1271 | 4.02K Ω | | 4021 | 12.7K Ω | | 1272 | 40.2K Ω | | 4022 |
| 132 | 1301 | 4.12K Ω | 432 | 4121 | 13.0K Ω | 133 | 1302 | 41.2K Ω | 433 | 4122 |
| | 1331 | 4.22K Ω | | 4221 | 13.3K Ω | | 1330 | 42.2K Ω | | 4222 |
| | 1371 | 4.30K Ω | | 4301 | 13.7K Ω | | 1372 | 43.0K Ω | | 4302 |
| | 1401 | 4.32K Ω | | 4321 | 14.0K Ω | | 1402 | 43.2K Ω | | 4322 |
| | 1431 | 4.42K Ω | | 4421 | 14.3K Ω | | 1432 | 44.2K Ω | | 4422 |
| | 1471 | 4.53K Ω | | 4531 | 14.7K Ω | | 1472 | 45.3K Ω | | 4532 |
| 152 | 1501 | 4.64K Ω | 472 | 4641 | 15.0K Ω | 153 | 1502 | 46.4K Ω | 473 | 4642 |
| | 1541 | 4.70K Ω | | 4701 | 15.4K Ω | | 1542 | 47.0K Ω | | 4702 |
| | 1581 | 4.75K Ω | | 4751 | 15.8K Ω | | 1582 | 47.5K Ω | | 4752 |
| 162 | 1601 | 4.87K Ω | 512 | 4871 | 16.0K Ω | 163 | 1602 | 48.7K Ω | 513 | 4872 |
| | 1621 | 4.99K Ω | | 4991 | 16.2K Ω | | 1622 | 49.9K Ω | | 4992 |
| | 1651 | 5.10K Ω | | 5101 | 16.5K Ω | | 1652 | 51.0K Ω | | 5102 |
| | 1691 | 5.11K Ω | | 5111 | 16.9K Ω | | 1692 | 51.1K Ω | | 5112 |
| | 1741 | 5.23K Ω | | 5231 | 17.4K Ω | | 1742 | 52.3K Ω | | 5232 |
| | 1761 | 5.36K Ω | | 5361 | 17.8K Ω | | 1782 | 53.6K Ω | | 5362 |
| 182 | 1801 | 5.49K Ω | 562 | 5491 | 18.0K Ω | 183 | 1802 | 54.9K Ω | 563 | 5492 |
| | 1821 | 5.60K Ω | | 5601 | 18.2K Ω | | 1822 | 56.0K Ω | | 5602 |
| | 1871 | 5.62K Ω | | 5621 | 18.7K Ω | | 1872 | 56.2K Ω | | 5622 |
| | 1911 | 5.76K Ω | | 5761 | 19.1K Ω | | 1912 | 57.6K Ω | | 5762 |
| | 1961 | 5.90K Ω | | 5901 | 19.6K Ω | | 1962 | 59.0K Ω | | 5902 |
| 202 | 2001 | 6.04K Ω | 622 | 6041 | 20.0K Ω | 203 | 2002 | 60.4K Ω | 623 | 6042 |
| | 2051 | 6.19K Ω | | 6191 | 20.5K Ω | | 2052 | 61.9K Ω | | 6192 |
| | 2101 | 6.20K Ω | | 6201 | 21.0K Ω | | 2102 | 62.0K Ω | | 6202 |
| | 2151 | 6.34K Ω | | 6341 | 21.5K Ω | | 2152 | 63.4K Ω | | 6342 |
| 222 | 2201 | 6.49K Ω | 682 | 6491 | 22.0K Ω | 223 | 2202 | 64.9K Ω | 683 | 6492 |
| | 2211 | 6.65K Ω | | 6651 | 22.1K Ω | | 2212 | 66.5K Ω | | 6652 |
| | 2261 | 6.80K Ω | | 6801 | 22.6K Ω | | 2262 | 68.0K Ω | | 6802 |
| | 2321 | 6.81K Ω | | 6811 | 23.2K Ω | | 2322 | 68.1K Ω | | 6812 |
| 242 | 2371 | 6.98K Ω | 752 | 6981 | 23.7K Ω | 243 | 2372 | 69.8K Ω | 753 | 6982 |
| | 2401 | 7.15K Ω | | 7151 | 24.0K Ω | | 2402 | 71.5K Ω | | 7152 |
| | 2431 | 7.32K Ω | | 7321 | 24.3K Ω | | 2432 | 73.2K Ω | | 7322 |
| | 2491 | 7.50K Ω | | 7501 | 24.9K Ω | | 2492 | 75.0K Ω | | 7502 |
| | 2551 | 7.68K Ω | | 7681 | 25.5K Ω | | 2552 | 76.8K Ω | | 7682 |
| | 2611 | 7.87K Ω | | 7871 | 26.1K Ω | | 2612 | 78.7K Ω | | 7872 |
| 272 | 2671 | 8.06K Ω | 822 | 8061 | 26.7K Ω | 273 | 2672 | 80.6K Ω | 823 | 8062 |
| | 2701 | 8.20K Ω | | 8201 | 27.0K Ω | | 2702 | 82.0K Ω | | 8202 |
| | 2741 | 8.25K Ω | | 8251 | 27.4K Ω | | 2742 | 82.5K Ω | | 8252 |
| | 2801 | 8.45K Ω | | 8451 | 28.0K Ω | | 2802 | 84.5K Ω | | 8452 |
| | 2871 | 8.66K Ω | | 8661 | 28.7K Ω | | 2872 | 86.6K Ω | | 8662 |
| 302 | 2941 | 8.87K Ω | 912 | 8871 | 29.4K Ω | 303 | 2942 | 88.7K Ω | 913 | 8872 |
| | 3001 | 9.09K Ω | | 9091 | 30.0K Ω | | 3002 | 90.9K Ω | | 9092 |
| | 3011 | 9.10K Ω | | 9101 | 30.1K Ω | | 3012 | 91.0K Ω | | 9102 |
| | 3091 | 9.31K Ω | | 9311 | 30.9K Ω | | 3092 | 93.1K Ω | | 9312 |
| | 3161 | 9.53K Ω | | 9531 | 31.6K Ω | | 3162 | 95.3K Ω | | 9532 |
| | 3241 | 9.76K Ω | | 9761 | 32.4K Ω | | 3242 | | 9762 | |

總代理 SOLE AG

達而特企業股份有
SUPER DARTER CORPORATIC

NOMINAL STANDARD RESISTANCE (resistance of each series)

| Resistance | E24(5%) | E96(1%) |
|---------------|---------|---------|
| 100K Ω | 104 | 1003 |
| 102K Ω | | 1023 |
| 105K Ω | | 1053 |
| 107K Ω | | 1073 |
| 110K Ω | 114 | 1103 |
| 113K Ω | | 1133 |
| 115K Ω | | 1153 |
| 118K Ω | | 1183 |
| 120K Ω | 124 | 1203 |
| 121K Ω | | 1213 |
| 124K Ω | | 1243 |
| 127K Ω | | 1273 |
| 130K Ω | 134 | 1303 |
| 133K Ω | | 1333 |
| 137K Ω | | 1373 |
| 140K Ω | | 1403 |
| 143K Ω | | 1433 |
| 147K Ω | | 1473 |
| 150K Ω | 154 | 1503 |
| 154K Ω | | 1543 |
| 158K Ω | | 1583 |
| 160K Ω | 164 | 1603 |
| 162K Ω | | 1623 |
| 165K Ω | | 1653 |
| 169K Ω | | 1693 |
| 174K Ω | | 1743 |
| 178K Ω | | 1783 |
| 180K Ω | 184 | 1803 |
| 182K Ω | | 1823 |
| 187K Ω | | 1873 |
| 191K Ω | | 1913 |
| 196K Ω | | 1963 |
| 200K Ω | | 204 |
| 205K Ω | 2053 | |
| 210K Ω | 2103 | |
| 215K Ω | 2153 | |
| 220K Ω | 224 | |
| 221K Ω | | 2213 |
| 226K Ω | | 2263 |
| 232K Ω | | 2323 |
| 237K Ω | | 2373 |
| 240K Ω | | 244 |
| 243K Ω | 2433 | |
| 249K Ω | 2493 | |
| 255K Ω | 2553 | |
| 261K Ω | 2613 | |
| 267K Ω | 2673 | |
| 270K Ω | 274 | |
| 274K Ω | | 2743 |
| 280K Ω | | 2803 |
| 287K Ω | | 2873 |
| 294K Ω | | 2943 |
| 300K Ω | 304 | 3003 |
| 301K Ω | | 3013 |
| 309K Ω | | 3093 |
| 316K Ω | | 3163 |
| 324K Ω | | 3243 |

| Resistance | E24(5%) | E96(1%) | |
|---------------|---------|---------|------|
| 330K Ω | 334 | 3303 | |
| 332K Ω | | 3323 | |
| 340K Ω | | 3403 | |
| 348K Ω | | 3483 | |
| 357K Ω | 364 | 3573 | |
| 360K Ω | | 3603 | |
| 365K Ω | | 3653 | |
| 374K Ω | | 3743 | |
| 383K Ω | | 3833 | |
| 390K Ω | | 394 | 3903 |
| 392K Ω | 3923 | | |
| 402K Ω | 4023 | | |
| 412K Ω | 4123 | | |
| 422K Ω | 434 | 4223 | |
| 430K Ω | | 4303 | |
| 432K Ω | | 4323 | |
| 442K Ω | | 4423 | |
| 453K Ω | | 4533 | |
| 464K Ω | | 4643 | |
| 470K Ω | 474 | 4703 | |
| 475K Ω | | 4753 | |
| 487K Ω | | 4873 | |
| 499K Ω | | 4993 | |
| 510K Ω | 514 | 5103 | |
| 511K Ω | | 5113 | |
| 523K Ω | | 5233 | |
| 536K Ω | | 5363 | |
| 549K Ω | | 5493 | |
| 560K Ω | 564 | 5603 | |
| 562K Ω | | 5623 | |
| 576K Ω | | 5763 | |
| 590K Ω | | 5903 | |
| 604K Ω | | 6043 | |
| 619K Ω | | 6193 | |
| 620K Ω | 624 | 6203 | |
| 634K Ω | | 6343 | |
| 649K Ω | | 6493 | |
| 665K Ω | | 6653 | |
| 680K Ω | 684 | 6803 | |
| 681K Ω | | 6813 | |
| 698K Ω | | 6983 | |
| 715K Ω | | 7153 | |
| 732K Ω | | 7323 | |
| 750K Ω | 754 | 7503 | |
| 768K Ω | | 7683 | |
| 787K Ω | | 7873 | |
| 806K Ω | | 8063 | |
| 820K Ω | | 824 | 8203 |
| 850K Ω | 8503 | | |
| 845K Ω | 8453 | | |
| 866K Ω | 8663 | | |
| 887K Ω | 8873 | | |
| 909K Ω | 9093 | | |
| 910K Ω | 914 | | 9103 |
| 931K Ω | | | 9313 |
| 953K Ω | | 9533 | |
| 976K Ω | | 9763 | |

總代理 SOLE AGENT

達而特企業股份有限公司
 SUPER DARTER CORPORATION
 TEL: 886-2-27892766
 FAX: 886-2-27892767